## CHEREY-NAGE



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

NANOCOLOR Hardness 20 Page: 1/11 Printing date: 15.05.2024 Date of issue: 01.02.2024 Version: 2.2.2.7

# SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier** 

> RFF 985043

Product name NANOCOLOR Hardness 20

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

20 x 6 mL Hardness 20 (R0)

UFI: Y15U-7301-A20C-M0QG

1 x 20x 5 mg NANOFIX Hardness 20 (R2)

1 x 5 mL Hardness 20 (R3)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

#### 1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number** 

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, < https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet:

<a href="http://www.mn-net.com/SDS">http://www.mn-net.com/SDS</a>

## **SECTION 2: Hazard identification**

#### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS08

**DANGER** Signal word

Hazard identification Hazard classes/categories

H360FD Repr. 1 B

#### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

6 mL Hardness 20 (R0)



Signal word **DANGER** 

Hazard identification Hazard classes/categories

H360FD Repr. 1 B



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Software: M2 V 6.1.5.0

## CHEREY-NAGEI



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 985043 NANOCOLOR Hardness 20 Page: 2/11 Printing date: 15.05.2024 Date of issue: 01.02.2024 Version: 2.2.2.7

### 20x 5 mg NANOFIX Hardness 20 (R2)

Do not need labelling as hazardous

Signal word

No hazard class

5 mL Hardness 20 (R3)

Do not need labelling as hazardous

Signal word

No hazard class

List of H phrases: see section 16.2

#### 2.2 Label elements according regulation (EC) 1272/2008

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2).

#### 6 mL Hardness 20 (R0)



Signal word: DANGER

H360FD

May damage fertility. May damage the unborn child.

P201, P202, P280sh, P308+313, P405, P501

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/eye protection.IF exposed or concerned: Get medical advice/attention.Store locked up.Dispose of contents/container to regulated waste treatment.

### 20x 5 mg NANOFIX Hardness 20 (R2)

Do not need labelling as hazardous

Signal word: -

5 mL Hardness 20 (R3)

Do not need labelling as hazardous

Signal word: -

#### Label elements of the complete product



Signal word: DANGER

H360FD

May damage fertility. May damage the unborn child.

P201, P202, P280sh, P308+313, P405, P501

Obtain special instructions before use.Do not handle until all safety precautions have been read and understood.Wear protective gloves/eye protection.IF exposed or concerned: Get medical advice/attention.Store locked up.Dispose of contents/container to regulated waste treatment.

#### 2.3 Other hazards

Possible hazards from physicochemical properties

no data available

Information pertaining to particular risks to human and possible symptoms



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

 REF: 985043
 NANOCOLOR Hardness 20
 Page: 3/11

 Printing date: 15.05.2024
 Date of issue: 01.02.2024
 Version: 2.2.2.7

May damage fertility. May damage the unborn child.

Information pertaining to particular risks to the environment

PBT: not applicable vPvB: not applicable

Possible endocrine disrupting effects

no data available

## **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

6 mL Hardness 20 (R0)

Substance name: boric acid CAS No.: boric acid 10043-35-3

Substance rating: H360FD, Repr. 1 B

Formula: H 3 BO 3

Pseudonym (de): Orthoborsäure, E284 REACH Reg. No.: 01-2119486683-25-0024

SVHC listed: listed (18/06/2010) Cand. Lst. REACH Art59(10)

EC No.: 233-139-2 Indice No.: 005-007-00-2

Concentration: 0,5 - <5,5 % acc. CLP (GHS): H360FD, Repr. 1 B

Substance name: sodium tetraborate
CAS No.: 12267-73-1

Substance rating: H319, Eye Irrit. 2, H360FD, Repr. 1 B

Formula: Na 2 B 4 O 7

Pseudonym (de): Borax, Dinatriumtetraborat 01-2119490790-32-xxxx

SVHC listed: listed (18/06/2010) Cand. Lst. REACH Art59(10)

EC No.: 235-541-3 Indice No.: 005-011-00-4

Concentration: 1 - <4,5 % acc. CLP (GHS): H360FD, Repr. 1 B

#### 20x 5 mg NANOFIX Hardness 20 (R2)

5 mL Hardness 20 (R3)

Substance name: ethylendioxybis(ethylennitrilo)-tetraacetic acid (Titriplex® VI)

CAS No.: 67-42-5

Substance rating: No criteria for classification or naming of chemical not required.

Formula:  $C_{14} H_{24} N_2 O_{10}$ Pseudonym (de): Titriplex® VI EC No.: 200-651-2 Concentration: 0,1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Software: M2 V 6.1.5.0



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

 REF: 985043
 NANOCOLOR Hardness 20
 Page: 4/11

 Printing date: 15.05.2024
 Date of issue: 01.02.2024
 Version: 2.2.2.7

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

CMR Effekte:

4.3 Indication of any immediate medical attention and special treatment needed

---

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

Product package burns like paper or plastic.

5.4 Additional information

no data available

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

PBT: not applicable vPvB: not applicable

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

#### 6.4 Reference to other sections

no data available

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Products which are also classified as toxic must be kept under lock and key. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 6.1D Water hazard class (DE): 2

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage, so that they are not immediately accessible to outside parties.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

 REF: 985043
 NANOCOLOR Hardness 20
 Page: 5/11

 Printing date: 15.05.2024
 Date of issue: 01.02.2024
 Version: 2.2.2.7

### 7.3 Specific end use(s)

Product for analytical use.

## **SECTION 8: Exposure controls /personal protection**

### 8.1 Control parameters

6 mL Hardness 20 (R0)

Chemical: sodium tetraborate CAS No.: 12267-73-1

TRGS 900 (DE): [B]  $0.5 \text{ mg/m}^3$  E/e respirable Short-term exposure factor: 2 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [als B][MAK] 0,8e\*/[STEL] 0,8e\* mg/m³

NIOSH: not listed ppm

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed ppm

Chemical: boric acid CAS No.: 10043-35-3

DNEL: [derm] 392 mg/kg bw/day; [inh] 8.3 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 2.9 mg/L
PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 0.5 E mg/m³
E/e respirable

Short-term exposure factor: 2 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [Bor][MAK] 1,8e/[STEL] 1,8e mg/m³

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

5 mL Hardness 20 (R3)

Chemical: ethylendioxybis(ethylennitrilo)-tetraacetic acid (Titriplex® VI) CAS No.: 67-42-5

## 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory protection

No additional recommendations.

### 8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

#### 8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

### 8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

### 8.2.6 Thermal hazards

no data available

### 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

## CHEREY-NAGEI



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 985043 NANOCOLOR Hardness 20 Page: 6/11 Date of issue: 01.02.2024 Printing date: 15.05.2024 Version: 2.2.2.7

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### 6 mL Hardness 20 (R0)

a) State of aggregation: liquid b) Colour: colourless c) Odor: odorless d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available 9,5-10,5 k) pH value: I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (K o/w ): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1.03 a/cm<sup>3</sup> q) Relative vapour density (air=1): no data available r) Particle size: no data available

#### 5 mL Hardness 20 (R3)

a) State of aggregation: liquid b) Colour: colourless c) Odor: odorless d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 8-10 I) Kinematic viscosity: no data available m) Solubility in water: 0-100 % n) Dispersion coefficient (K o/w ): no data available o) Vapour pressure (20°C): no data available 1,0 g/cm<sup>3</sup> p) Specific gravity: q) Relative vapour density (air=1): no data available r) Particle size: no data available

#### 9.2 Other information

#### 9.2.1 Information on physical hazard classes

no data available

#### 9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no further data available.

#### 10.2 Chemical stability

no known instability.



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

 REF: 985043
 NANOCOLOR Hardness 20
 Page: 7/11

 Printing date: 15.05.2024
 Date of issue: 01.02.2024
 Version: 2.2.2.7

### 10.3 Possibility of hazardous reactions

No further data available.

#### 10.4 Conditions to avoid

Observe the storage temperature printed on it. No more required.

### 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## **SECTION 11: Toxicological information**

## 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

6 mL Hardness 20 (R0)

Chemical: sodium tetraborate CAS No.: 12267-73-1

TSCA Inventory: not listed Australia NICNAS: not listed California Proposition 65 List: not listed Canada CEPA 1999: not listed

Japan CSCL/PRTR: PRTR: ≥1,0%B class I, Japan PDSCL: not listed

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-33255 LD50 orl rat: 2660 mg/kg

Carcinogenic Effects: May damage fertility. May damage the unborn child.

EU carcinogen: R<sub>D</sub>1B, R<sub>F</sub>1B

Chemical: boric acid CAS No.: 10043-35-3

TSCA Inventory: listed California Proposition 65 List: not listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: PRTR: ≥1,0%B class I, Japan PDSCL: not listed

Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist Chem.Inventory: KE-03499
LD50 orl rat: > 3765 mg/kg
LC50 ihl rat: 2,12 mg/L/4H

Carcinogenic Effects: May damage fertility. May damage the unborn child.

EU carcinogen:  $R_D 1B, R_F 1B$ TRGS 905 (DE):  $R_E 2, R_F 2$ 

5 mL Hardness 20 (R3)

Chemical: ethylendioxybis(ethylennitrilo)-tetraacetic acid (Titriplex® VI) CAS No.: 67-42-5

TSCA Inventory: listed LD50 <sub>orl rat</sub>: 3587 mg/kg

### 11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Following information is valid for pure substances.

6 mL Hardness 20 (R0)

Substance name: sodium tetraborate CAS-Nr.: 12267-73-1

LC50 fish/96h: 74 mg/L EC50 daphnia/48h: 242 <sub>24h</sub> mg/L IC50 scenedesmus quadricauda/72h: EC10/96h: 24 mg/L



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 CH Te 52355 Düren · Germany FR Te www.mn-net.com US Te

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## CHEREY-NAGEI



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 985043 NANOCOLOR Hardness 20 Page: 8/11 Date of issue: 01.02.2024 Printing date: 15.05.2024 Version: 2.2.2.7

> WGK No.: 0037 Water hazard class (DE):

6.1 D Storage class (VCI):

CAS-Nr.: 10043-35-3 Substance name: boric acid

2.9 mg/L

PNEC (fresh water): 2.9 mg/L
PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected

LC50 fish/96h: [4d] 79.7 mg/L EC50 daphnia/48h: 91-165 mg/L IC50 scenedesmus quadricauda/72h: [72h] 52.4 mg/L EC10 pseudomonas putita/16h: Water hazard class (DE): [EC10] 10 mg/L WGK No.: 0315

Storage class (VCI): 6.1 D

5 mL Hardness 20 (R3)

ethylendioxybis(ethylennitrilo)-tetraacetic acid (Titriplex® VI) Substance name: CAS-Nr.: 67-42-5

Water hazard class (DE): Storage class (VCI): 12-13

12.2 Persistence and degradability

12.3 Bioaccumulative potential

> Substance name: boric acid CAS-Nr.: 10043-35-3

Dispersion coefficient (K o/w): -1.09

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

> This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 **Endocrine disrupting properties** 

no data available

12.7 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

13.1 Waste treatment methods

Not necessary, see above.

## **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

14.5 **Environmental hazards** 

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

Carriage in bulk by sea in accordance with IMO instruments 14.7

Not applicable.



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# Safety Data Sheet

## according to Regulations REACh 1907/2006/EC

REF: 985043 NANOCOLOR Hardness 20 Page: 9/11 Printing date: 15.05.2024 Date of issue: 01.02.2024 Version: 2.2.2.7

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016

MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

#### 15.2 Chemical safety assessment

not necessary for these small amounts

## **SECTION 16: Other information**

#### 16.1 Changes compared to the last version

Between versions 2.2.2.7 and 2.2.2.2 following changes were applied: - 5 substance data corrected

#### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

Between versions 2.2.2.7 and 2.2.2.2 following changes were applied: - 5 substance data corrected

H360FD May damage fertility. May damage the unborn child.

#### 16.2.2 List of relevant P phrases

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280sh Wear protective gloves/eye protection.

P308+313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container to regulated waste treatment.

#### 16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

#### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive

Directive 2004/37/EC on the protection of workers from the risk of carcinogens or mutagens at workSUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP) TRGS 905, German rules of technology for carcinogenic and mutagenic substances, as of March 18, 2016

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

#### revisions/updates

2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary Reason for revision:

2014-04 adjustment according Regulation 487/2013/EU



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11

52355 Düren · Germany

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

 REF: 985043
 NANOCOLOR Hardness 20
 Page: 10/11

 Printing date: 15.05.2024
 Date of issue: 01.02.2024
 Version: 2.2.2.7

2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

#### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

## 16.6 Legend / Abbreviations

acc: according

ADR: Convention concerning the International Carriage of Dangerous Goods by Road

Act: acute

BAT: biological workplace tolerance value

CAO: Cargo Aircraft Only Carc: carcinogen

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging regulation

CMR: carcinogen, mutagen, reproduction toxic

Corr: corrosive

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp)

Dam: damage

DNEL: Derived No-Effect Level (for workers)

derm: dermal dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

EC: European Community

EC-Nr: Substance number of the EC substance inventory EmS: Guide to accident management measures on ships

EU: European Union fish: fish (not spezified)

GHS: Global Harmonized System of Classification and Labeling of Chemicals

gpg: guinea pig ICAO: Internation

ICAO: International Civil Aviation Organization

ihl: inhaled

IMDG: International Maritime Dangerous Goods Code

intrav: intravenous ipt: intraperitonaeal

ISHL: Industrial Safety and Health Law (Jp)

LC50: letale concentration 50%

LD50: letale dosis 50%

leuciscus idus: fisch, ide, orfe
MAK: maximum workplace concentration

Met: Metall mus: mouse Muta: mutagen

NIOSH: National Institute for Occupational Safety and Health (US)

NRD: Non-rapidly degradable onchorhynchus mykiss: fish, rainbow trout

orl: oral

OSHA: Occupational Safety and Health Administration PAX: transport on passenger planes allowed PBT: persistent, bioaccumulating, toxic substance

pH: pH value

pimephales promelas: fish, fathead minnow PNEC: Predicted No Effected Concentration PROC 15: Process category 'for laboratory use'

PRTR: Law for PRTR and Promotion of Chemical Management (Jp)

PVC: polyvinyl chloride quail: bird, quail rat: rat rbt: rabbit



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germanv
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Software: M2 V 6.1.5.0

## CHEREY-NAGE



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 985043 NANOCOLOR Hardness 20 Page: 11/11 Printing date: 15.05.2024 Date of issue: 01.02.2024 Version: 2.2.2.7

rapidly degradable RD:

RE: repeated

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

REF: item number, reference number

Reg.No.: rRegistration number Repr: harmful to reproduction

respiratory Resp:

RIP: **REACH Implementations Projects** 

scu: sub cutan SDS: safety data sheet sensitisation Sens:

short term exposure limit STEL: Specific Target Organ Toxicity STOT: SVHC: Substance of Very High Concern

t/a: tons per year

TCCA: Toxic Chemicals Control Act (S. Korea)

toxic

Tox: TSCA: The Toxic Substances Control Act (US)

TWA: time weighted average TRGS: technical regulations (DE)

very persistent, very bioaccumulating substance vPvB:

#### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com