

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082  
Printing date: 15.05.2024

NANOCOLOR Oxygen 12  
Date of issue: 26.01.2023

Page: 1/14  
Version: 2.2.2.17

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product identifier

REF 985082  
Product name NANOCOLOR Oxygen 12

REACH Registration number(s): see SECTION 3.1/3.2 or  
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 6 mL Oxygen 12 (R3) UFI: DWQT-S3D9-F20M-DSJM  
1 x 3 mL Oxygen 12 (R1) UFI: DY7U-E3FH-R205-3MHP  
1 x 3 mL Oxygen 12 (R2) UFI: Y18U-X34X-120N-RY3R

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

#### Uses advised against

not described

### 1.3 Details of the supplier of the safety data sheet

Manufactured by:  
MACHEREY-NAGEL GmbH & Co. KG  
Valenciennner Str. 11, 52355 Düren, Germany  
Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Giftinformationszentrum (GGIZ)  
99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008




Signal word DANGER

Hazard identification	Hazard classes/categories
H302	Acute Tox. 4 oral
H314	Skin Corr. 1 B
H411	Aquatic Chronic 2

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

3 mL Oxygen 12 (R2)



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082

NANOCOLOR Oxygen 12

Page: 2/14

Printing date: 15.05.2024

Date of issue: 26.01.2023

Version: 2.2.2.17

Signal word

DANGER

## Hazard identification

## Hazard classes/categories

H314

Skin Corr. 1 B

H319

Eye Irrit. 2

6 mL Oxygen 12 (R3)



GHS05

Signal word

DANGER

## Hazard identification

## Hazard classes/categories

H314

Skin Corr. 1 B

3 mL Oxygen 12 (R1)



GHS07



GHS09

Signal word

WARNING

## Hazard identification

## Hazard classes/categories

H302

Acute Tox. 4 oral

H411

Aquatic Chronic 2

List of H phrases: see section 16.2

## 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

3 mL Oxygen 12 (R2)



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container to regulated waste treatment.

6 mL Oxygen 12 (R3)



GHS05

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082

NANOCOLOR Oxygen 12

Page: 3/14

Printing date: 15.05.2024

Date of issue: 26.01.2023

Version: 2.2.2.17

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container to regulated waste treatment.

## 3 mL Oxygen 12 (R1)



GHS07



GHS09

Signal word: WARNING

## Label elements of the complete product



GHS05



GHS09

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container to regulated waste treatment.

## 2.3 Other hazards

### Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive.

### Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, impairments of health when ingested in small quantities.

### Information pertaining to particular risks to the environment

Should not be released into the environment.

PBT: not applicable

vPvB: not applicable

### Possible endocrine disrupting effects

no data available

## SECTION 3: Composition / information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 3 mL Oxygen 12 (R2)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082	NANOCOLOR Oxygen 12	Page: 4/14
Printing date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.2.17

Substance name: *sodium hydroxide solution*  
CAS No.: 1310-73-2

Substance rating: H314, Skin Corr. 1 B  
Formula: NaOH·H<sub>2</sub>O  
Pseudonym (de): Natronlauge  
REACH Reg. No.: 01-2119457892-27-xxxx  
EC No.: 215-185-5  
Concentration: 20 - <35 %  
acc. CLP (GHS): H314, Skin Corr. 1 B

Indice No.: 011-002-00-6

Substance name: *potassium iodide*  
CAS No.: 7681-11-0

Substance rating: H319, Eye Irrit. 2  
Formula: KI  
Pseudonym (de): Iodkalium  
REACH Reg. No.: YES, confidential  
EC No.: 231-659-4  
Concentration: 10 - <20 %  
acc. CLP (GHS): H319, Eye Irrit. 2

## 6 mL Oxygen 12 (R3)

Substance name: *sulfuric acid*  
CAS No.: 7664-93-9

Substance rating: H314, Skin Corr. 1 B  
Formula: H<sub>2</sub>SO<sub>4</sub> (·H<sub>2</sub>O)  
REACH Reg. No.: 01-2119458838-20-xxxx  
EC No.: 231-639-5  
Specific concentration limit: 1A; H314 c ≥ 15%  
Concentration: 51 - <65 %  
acc. CLP (GHS): H314, Skin Corr. 1 B

Indice No.: 016-020-00-8  
Eye Irrit. 2; H319: 5 % ≤ C < 15 % - Skin Irrit. 2; H315: 5 % ≤ C < 15 % - Skin Corr

## 3 mL Oxygen 12 (R1)

Substance name: *manganese chloride*  
CAS No.: 7773-01-5

Substance rating: H301, Acute Tox. 3 oral, H411, Aquatic Chronic 2  
Formula: MnCl<sub>2</sub>  
Pseudonym (de): Mangandichlorid  
REACH Reg. No.: 01-2119934899-15-xxxx  
EC No.: 231-869-6  
Concentration: 25 - <50 %

Correlation factor: x 0.44 (= %Mn)

The classification refers to the weight percentage of the metal (according to CLP regulation 2008/1272/EG Annex VI, 1.1.3.2 Note 1)

acc. CLP (GHS): H302, Acute Tox. 4 oral, H411, Aquatic Chronic 2

## 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of H and P phrases: see section 16.2.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082

NANOCOLOR Oxygen 12

Page: 5/14

Printing date: 15.05.2024

Date of issue: 26.01.2023

Version: 2.2.2.17

- 4.1.2 After EYE Contact**  
After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.
- 4.1.3 After INHALATION of vapours**  
After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---
- 4.1.4 After ORAL Intake**  
After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.
- 4.2 Most important symptoms and effects, both acute and delayed**  
Rapid penetration and destruction of the skin. Especially in the heated form.  
Causes severe skin burns and eye damage.
- 4.3 Indication of any immediate medical attention and special treatment needed**  
CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. ---

## SECTION 5: Firefighting measures

- 5.1 Extinguishing media**
- 5.1.1 Suitable extinguishing media**  
Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
- 5.1.2 Unsuitable extinguishing media**  
no data available
- 5.2 Special hazards arising from the substance or mixture**  
Formation of hazardous and caustic vapour-air mixtures possible.
- 5.3 Advice for firefighters**  
No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.  
For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.
- 5.4 Additional information**  
Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**  
Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.
- 6.2 Environmental precautions**  
Should not be released into the environment.  
**PBT:** not applicable  
**vPvB:** not applicable
- 6.3 Methods and material for containment and cleaning up**  
Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.
- 6.4 Reference to other sections**  
see information in section 5.4,7,8 and 13

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082

NANOCOLOR Oxygen 12

Page: 6/14

Printing date: 15.05.2024

Date of issue: 26.01.2023

Version: 2.2.2.17

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 8B

Water hazard class (DE): 1

### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls /personal protection

### 8.1 Control parameters

#### 3 mL Oxygen 12 (R2)

Chemical: sodium hydroxide solution

CAS No.: 1310-73-2

DNEL: [inh] 1 mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): 2 mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: (=1=, Y)  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 e mg/m<sup>3</sup>

NIOSH: 2 mg/m<sup>3</sup>  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 2 mg/m<sup>3</sup>

Chemical: potassium iodide

CAS No.: 7681-11-0

#### 3 mL Oxygen 12 (R1)

Chemical: manganese chloride

CAS No.: 7773-01-5

EU value: [TWA] 0.2E Mn / 0.05A Mn mg/m<sup>3</sup>

TRGS 900 (DE): 0.02 Mn A; 0.2 Mn E mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: 8 (II), Y  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,5 e mg/m<sup>3</sup>

TRGS 903 (DE): nicht mehr gelistet  
B blood, U urine, a no limitation, b end of exposition or shift

NIOSH: [TWA] 1/ [STEL] 3 mg/m<sup>3</sup>  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 5 mg/m<sup>3</sup>

#### 6 mL Oxygen 12 (R3)

Chemical: sulfuric acid

CAS No.: 7664-93-9

DNEL: [inh] 50 µg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 2.5 µg/L  
PNEC = Predicted No Effect Concentration

EU value: 0.1 e mg/m<sup>3</sup>  
TRGS 900 (DE): 0.1 E mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: 1 (I), Y  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m<sup>3</sup>

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m<sup>3</sup>  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1 mg/m<sup>3</sup>

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082

NANOCOLOR Oxygen 12

Page: 7/14

Printing date: 15.05.2024

Date of issue: 26.01.2023

Version: 2.2.2.17

## 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory protection

No additional recommendations.

### 8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

### 8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

### 8.2.6 Thermal hazards

no data available

## 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 3 mL Oxygen 12 (R2)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	13-14
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient ( $K_{o/w}$ ):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density ( $\rho_{air=1}$ ):	no data available
r) Particle size:	no data available

#### 3 mL Oxygen 12 (R1)

a) State of aggregation:	liquid
b) Colour:	rose
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	5-7
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient ( $K_{o/w}$ ):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density ( $\rho_{air=1}$ ):	no data available
r) Particle size:	no data available



MACHEREY-NAGEL GmbH & Co. KG  
Valenciennr Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082

NANOCOLOR Oxygen 12

Page: 8/14

Printing date: 15.05.2024

Date of issue: 26.01.2023

Version: 2.2.2.17

## 6 mL Oxygen 12 (R3)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	0-1
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (K <sub>ow</sub> ):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,77 g/cm <sup>3</sup>
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

## 9.2 Other information

### 9.2.1 Information on physical hazard classes

no data available

### 9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□ □

Substances are highly corrosive.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Strong CORROSIVE, no further data available.

### 10.2 Chemical stability

no known instability.

### 10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

### 10.4 Conditions to avoid

Observe the storage temperature printed on it. No more required.

### 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 3 mL Oxygen 12 (R2)

Chemical:	sodium hydroxide solution	CAS No.: 1310-73-2
TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, ingestion, skin and/or eye contact	
Target Organs:	Eyes, skin, respiratory system	
Symptoms:	irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair	



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082

NANOCOLOR Oxygen 12

Page: 9/14

Printing date: 15.05.2024

Date of issue: 26.01.2023

Version: 2.2.2.17

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
Japan ISHL: listed  $\geq 1,0\%$ / $\geq 1,0\%$ , Article 57-2 (SDS required)  
South Korea TCCA: not listed  
Korea Exist.Chem.Inventory: KE-31487  
LD50 orl rat : [40%] 1250 / [<25%] >2000 mg/kg  
LD50 orl mus : 40 mg/kg

Chemical: *potassium iodide*  
TSCA Inventory: listed  
Korea Exist.Chem.Inventory: not listed  
LD50 orl rat : 2779 mg/kg

CAS No.: 7681-11-0

## 3 mL Oxygen 12 (R1)

Chemical: *manganese chloride*  
TSCA Inventory: listed  
Exposure Routes: inhalation, ingestion  
Target Organs: respiratory system, central nervous system, blood, kidneys  
Symptoms: Manganism; asthenia, insomnia, mental confusion; metal fume fever: dry throat, cough, chest tightness, dyspnea (breathing difficulty), rales, flu-like  
Japan CSCL/PRTR: PRTR:  $\geq 1,0\%$  Mn class I, Japan PDSCL: not listed  
Japan ISHL: listed  $\geq 1,0\%$ / $\geq 0,1\%$   
Korea Exist.Chem.Inventory: KE-23012  
LD50 orl rat : 250 mg/kg  
Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

CAS No.: 7773-01-5

## 6 mL Oxygen 12 (R3)

Chemical: *sulfuric acid*  
TSCA Inventory: listed California Proposition 65 List: not listed  
ACGIH: 1 ppm  
Exposure Routes: inhalation, ingestion, skin and/or eye contact  
Target Organs: Eyes, skin, respiratory system, teeth  
Symptoms: irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis; dental erosion; eye, skin burns; dermatitis  
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance  
Japan ISHL: listed  $\geq 1,0\%$ / $\geq 1,0\%$ , Article 57-2 (SDS required)  
South Korea TCCA: Accident Precaution Chemical Yes  
Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.  
LD50 orl rat : 2140 mg/kg  
LC50 inh mus : 0,85 mg/L/4H  
TRGS 905 (DE): Kat 4

CAS No.: 7664-93-9

## 11.2 Other hazards

**Possible endocrine disrupting effects**  
no data available

**Other information**  
no additional data available

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 3 mL Oxygen 12 (R2)

Substance name: *sodium hydroxide solution*  
Do not release into the environment.  
LC50 leuciscus idus/96h : 35-189 mg/L  
LC50 fish/96h : 45.4 mg/L  
EC50 daphnia/48h : >100 mg/L  
Water hazard class (DE): 1 WGK No.: 142  
Storage class (VCI): 8 B

CAS-Nr.: 1310-73-2



MACHEREY-NAGEL GmbH & Co. KG  
Valencienn Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082

NANOCOLOR Oxygen 12

Page: 10/14

Printing date: 15.05.2024

Date of issue: 26.01.2023

Version: 2.2.2.17

Substance name: *potassium iodide*

CAS-Nr.: 7681-11-0

LC50 fish/96h : 2190 mg/L

Water hazard class (DE): 1

Storage class (VCI): 12-13

## 3 mL Oxygen 12 (R1)

Substance name: *manganese chloride*

CAS-Nr.: 7773-01-5

Toxic to aquatic life with long lasting effects. Do not release into the environment.

Environmentally hazardous substances/mixtures up to 125 mL do not have to be labeled with H and P statements (EU 1272/2008 Annex I Paragraph 1.5.2).

Water hazard class (DE): 1 WGK No.: 0494

Storage class (VCI): 12

## 6 mL Oxygen 12 (R3)

Substance name: *sulfuric acid*

CAS-Nr.: 7664-93-9

Do not release into the environment.

PNEC (fresh water): 2.5 µg/L

PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected

LC50 fish/96h : [NOEC, 65d] 25 µg/L

EC50 daphnia/48h : 100 mg/L

EC10 pseudomonas putida/16h : [72h] 100 mg/L

Water hazard class (DE): 1 WGK No.: 0182

Storage class (VCI): 8 B

## 12.2 Persistence and degradability

## 12.3 Bioaccumulative potential

Substance name: *potassium iodide* CAS-Nr.: 7681-11-0

Dispersion coefficient (K<sub>ow</sub>): 0,04

## 12.4 Mobility in soil

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

no data available

## 12.7 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

### 13.1 Waste treatment methods

Not necessary, see above.

## SECTION 14: Transport information

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit

14.3. Class: 9

14.4. Packing group: II

Road transport ADR

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport IATA DGR

Limited Quantity: PAX: 960 max. quantity PAX: 10 KG



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082	NANOCOLOR Oxygen 12	Page: 11/14
Printing date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.2.17

Maritime transport IMDG  
EmS: CAO: 960 max. quantity CAO: 10 KG  
F-A, S-P Staukategorie: A

Or use **Alternative declaration for transportation:**

UN No.: (see below) class 8 II, **Excepted Quantities** ( $\leq 30 \text{ mL} / \Sigma \leq 500 \text{ mL}$ ) = ADR/ IATA E2  
or

**14.1 UN number: 3264**

**14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (sulfuric acid solution)**

**14.3 Class: 8**

**14.4 Packing group: II**

Road transport ADR

Classification code: C1  
Limited Quantity: 1 L Tunnel restriction code: E  
Excepted Quantity: E 2

Air transport IATA DGR

Limited Quantity: PAX: 851 max. quantity PAX: 1 L  
CAO: 855 max. quantity CAO: 30 L  
Excepted Quantity: E 2

Maritime transport IMDG

EmS: F-A, S-B Staukategorie: B  
Special instructions: 274

**14.1 UN number: 3266**

**14.2 UN proper shipping name: Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution)**

**14.3 Class: 8**

**14.4 Packing group: II**

Road transport ADR

Classification code: C5  
Limited Quantity: 1 L Tunnel restriction code: E  
Excepted Quantity: E 2

Air transport IATA DGR

Limited Quantity: PAX: 851 max. quantity PAX: 1 L  
CAO: 855 max. quantity CAO: 30 L  
Excepted Quantity: E 2

Maritime transport IMDG

EmS: F-A, S-B Staukategorie: B  
Special instructions: 274

## 14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

## 14.6 Special precautions for user

not necessary

## 14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020  
Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017  
TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017  
TRGS 220, National aspects when preparing safety data sheets, Jan 2017  
TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017  
TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011  
BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012  
TRGS 500, Protective measures, Mai 2008  
TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015



MACHEREY-NAGEL GmbH & Co. KG  
Valenciennr Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082

NANOCOLOR Oxygen 12

Page: 12/14

Printing date: 15.05.2024

Date of issue: 26.01.2023

Version: 2.2.2.17

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)  
Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016  
MN leaflet/instructions for use, also at [www.mn-net.com](http://www.mn-net.com)  
If necessary, observe other country-specific regulations.

## 15.2 Chemical safety assessment

not necessary for these small amounts

## SECTION 16: Other information

### 16.1 Changes compared to the last version

Between versions 2.2.2.17 and 2.2.2.2 following changes were applied: - 15 substance data corrected

### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

#### 16.2.2 List of relevant P phrases

P260sh Do not breathe dust/vapours.  
P264 Wash hands thoroughly after handling.  
P280sh Wear protective gloves/eye protection.  
P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P405 Store locked up.  
P501 Dispose of contents/container to regulated waste treatment.

### 16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)

Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

#### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU

2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier

2022-11 adjustment according Regulation 878/2020/EU



MACHEREY-NAGEL GmbH & Co. KG  
Valenciennr Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082

NANOCOLOR Oxygen 12

Page: 13/14

Printing date: 15.05.2024

Date of issue: 26.01.2023

Version: 2.2.2.17

## 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

## 16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxygen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not specified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitoneal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	lethal concentration 50%
LD50:	lethal dose 50%
leuciscus idus:	fish, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchus mykiss:	fish, rainbow trout
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales promelas:	fish, fathead minnow
PNEC:	Predicted No Effect Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number



MACHEREY-NAGEL GmbH & Co. KG  
Valencienn Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985082

NANOCOLOR Oxygen 12

Page: 14/14

Printing date: 15.05.2024

Date of issue: 26.01.2023

Version: 2.2.2.17

Repr: harmful to reproduction  
 Resp: respiratory  
 RIP: REACH Implementations Projects  
 scu: sub cutan  
 SDS: safety data sheet  
 Sens: sensitisation  
 STEL: short term exposure limit  
 STOT: Specific Target Organ Toxicity  
 SVHC: Substance of Very High Concern  
 t/a: tons per year  
 TCCA: Toxic Chemicals Control Act (S. Korea)  
 Tox: toxic  
 TSCA: The Toxic Substances Control Act (US)  
 TWA: time weighted average  
 TRGS: technical regulations (DE)  
 vPvB: very persistent, very bioaccumulating substance

## 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.