

according to Regulations REACh 1907/2006/EC

REF: 985097	NANOCOLOR Tin 3	Page: 1/17
Printing date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.27

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF Product name 985097 NANOCOLOR Tin 3

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

- 18 x 0.5 mL Tin 3 (R0) 1 x 1 g Tin 3 (R2)
- 1 x 10 mL Tin 3 (R3) 2 x 10 mL Tin 3 (R4)

UFI: X9CU-53D0-P20F-WX86 UFI: 2QAU-M3J7-J200-8J5R UFI: VDCU-P32D-Y20Y-J8U8 UFI: 63PU-V328-K20V-9UPJ

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described

1.3 Details of the supplier of the safety data sheet

Manufactured by: MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730, <https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



Signal word	DANGER
Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2
H272	Ox. Liq. 2
H302	Acute Tox. 4 oral
H314	Skin Corr. 1 B
H317	Skin Sens. 1
H334	Resp. Sens. 1
H335	resp. irrit. STOT SE 3
H335	resp. irrit. STOT SE 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008 10 mL Tin 3 (R3)



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

	Page: 2/17
Date of issue: 26.01.2023	Version: 2.2.6.2
GHS05	
Skin Corr. 1 B Eye Dam. 1	
•	
GHS02	
DANGER	
Hazard classes/categories	
· ······ -··· -·· -·· -·· -·· -·· -·· -	
Hazard classes/categories	
Skin Corr. 1 B	
GHS03 GHS07 GHS08	
DANGER	
Hazard classes/categories	
Ox. Liq. 2	
Acute Tox. 4 oral	
Skin Irrit. 2 Skin Sens. 1	
Eye Irrit. 2	
Resp. Sens. 1	
	DANGER Hazard classes/categories Flam. Liq. 2 \overrightarrow{V} GHS05 DANGER Hazard classes/categories Skin Corr. 1 B \overrightarrow{V} GHS03 \overrightarrow{V}

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. Oxidizing mixtures with signal word: **DANGER** and **H272** must not be labelled with H and P phrases **until 125 mL** .



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985097	NANOCOLOR Tin 3	Page: 3/17
Printing date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.27

10 mL Tin 3 (R3)



Signal word: DANGER H314 Causes severe skin burns and eye damage. P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501 Do not breathe dust/vapours.Wash hands thoroughly after handling.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON

CENTER/doctor.Store locked up.Dispose of contents/container to regulated waste treatment.

10 mL Tin 3 (R4)



Signal word: DANGER

0.5 mL Tin 3 (R0)



Signal word: DANGER H314 Causes severe skin burns and eye damage. P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours.Wash hands thoroughly after handling.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.Store locked up.Dispose of contents/container to regulated waste treatment.

1 g Tin 3 (R2)



Signal word: DANGER

H317, H334

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P280sh, P284, P302+352, P333+313, P342+311, P362+364, P501

Avoid breathing dust/vapours.Wear protective gloves/eye protection.[In case of inadequate ventilation] wear respiratory protection.IF ON SKIN: Wash with plenty of water.If skin irritation or rash occurs: Get medical advice/attention.If experiencing respiratory symptoms: Call a POISON CENTER/doctor.Take off contaminated clothing and wash it before reuse.Dispose of contents/container to regulated waste treatment.

Label elements of the complete product





MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



REF: 985097	NANOCOLOR Tin 3	Page: 4/17
Printing date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.27

Signal word: DANGER

H314, H317, H334

Causes severe skin burns and eye damage.May cause an allergic skin reaction.May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P260sh, P264, P280sh, P284, P303+361+353, P305+351+338, P310, P333+313, P405, P501

Do not breathe dust/vapours.Wash hands thoroughly after handling.Wear protective gloves/eye protection.[In case of inadequate ventilation] wear respiratory protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.If skin irritation or rash occurs: Get medical advice/attention.Store locked up.Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. The property H314 "Causes severe skin burns and eye damage." of some salts is not applicable, because the mixture is buffered to pH >3-4 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.).

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Information pertaining to particular risks to the environment

Should not be released into the environment. **PBT:** not applicable

vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

10 mL Tin 3 (R3)

Substance name: CAS No.:	<i>ammonium acetate</i> 631-61-8		
Substance rating: Formula: REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	No criteria for classification or namin C $_2$ H $_7$ NO $_2$ 01-2119828440-45-xxxx 211-162-9 20 - <40 % The criteria for classification are not		
Substance name: CAS No.:	acetic acid 64-19-7		
Substance rating: Formula: REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H226, Flam. Liq. 3, H314, Sk C ₂ H ₄ O ₂ ; CH ₃ -COOH 01-2119475328-30-xxxx 200-580-7 25 - <50 % H314, Skin Corr. 1 B, H318, F	Indice No.:	am. 1 607-002-00-6

10 mL Tin 3 (R4)



CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FB Tel.: +33 388 68 22 68 sales-fr@mn-net.com

R Tel.: +33 388 68 22 68 sales

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985097		NANOCOLOR Tin 3	Page: 5/17
Printing date: 15.05.20)24	Date of issue: 26.01.2023	Version: 2.2.6.2
	Substance name: CAS No.: Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	ethanol 64-17-5 (denatured with 1% 2-butanone / 1% 2-propanol) H225, Flam. Liq. 2 C ₂ H ₆ O; C ₂ H ₅ OH Äthylalkohol, vergällter Spiritus 01-2119457610-43-xxxx 200-578-6 Indice No.: 603-002-00 90 - <100 % H225, Flam. Liq. 2	-5
	Substance name: CAS No.:	hydrochloric acid 7647-01-0	
	Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Specific concentratior 1B; H314: $C \ge 25 \%$ - Concentration: acc. CLP (GHS):	H314, Skin Corr. 1 A, H335, resp. irrit. STOT SE 3 HCI•H $_2$ O Chlorwasserstoffsäure 01-2119484862-27-xxxx 231-595-7 Indice No.: 017-002-01 I limit: Eye Irrit. 2; H319: 10 % ≤ C < 25 % - Skin Irrit. 2; H315: STOT SE 3; H335: C ≥ 10 % 1 - <10 % The criteria for classification are not fulfilled.	
0.5 mL	Tin 3 (R0) Substance name: CAS No.:	sulfuric acid 7664-93-9	
	Substance rating: Formula: REACH Reg. No.: EC No.: Specific concentration 1A; H314 $c \ge 15\%$ Concentration: acc. CLP (GHS):	H314, Skin Corr. 1 B H $_2$ SO $_4$ (•H $_2$ O) 01-2119458838-20-xxxx 231-639-5 Indice No.: 016-020-00 limit: Eye Irrit. 2; H319: 5 % \leq C $<$ 15 % - Skin Irrit. 2; H315: 5 30 - $<$ 51 % H314, Skin Corr. 1 B	
1 g Tin	3 (R2) Substance name: CAS No.:	sodium peroxodisulfate 7775-27-1	
	Substance rating: H334, Resp. Sens. 1, Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H272, Ox. Sol. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Sk H335, resp. irrit. STOT SE 3 Na $_2$ O $_8$ S $_2$ Natriumpersulfat 01-2119495975-15-xxxx 231-892-1 80 - <100 % H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Ski H335, resp. irrit. STOT SE 3	

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor. Take to a doctor, in a raised position if there are breathing difficulties.



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

according to Regulations REACh 1907/2006/EC

REF: 985	097	NANOCOLOR Tin 3	Page: 6/17
Printing d	ate: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.27
4.1.1		ing immediately. Rinse the affected skin or mucous membrane th use soap. Avoid neutralisation. Then apply a loose bandage.	noroughly for min. 15 minutes under
4.1.2	bottle, eye douche or runnin	inse thoroughly under running water with the eyelid wide open fo g water (protect intact eye). Before (if possible) apply eye drops I ful. Further treatment to be carried out by an eye specialist.	
4.1.3	recovery position and keep	apour fresh air should be inhaled. Keep airways free. If vomiting a airways free. Administer a Dexamethasone spray as soon as pos ssary. In the event of respiratory distress ensure that the patient	sible. Ensure quiet, warmth, and
4.1.4		r with activated charcoal supplement should be drunk after it has o not make any efforts to neutralise it. Contact medical advice for	
4.2	Most important sympton	ns and effects, both acute and delayed	
	May cause allergy or asthma syr	nptoms or breathing difficulties if inhaled. Chronic effects: Repeat benetration and destruction of the skin. Especially in the heated for	
4.3	Indication of any immed	iate medical attention and special treatment need	ded
	matters worse. Apply glucocortic	KIN CONTACT rinse with water for a long time. Efforts to neutrali osteroides following inflammatory reactions. After EYE CONTAC vulsion measures. Name the corrosive chemical. Further treatme	T rinse immediately with plenty of

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

specialist. After INTAKÉ administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product.Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Inform patient respectively further measures and the possibility of long-term damages. --

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

Should not be released into the environment. **PBT:** not applicable **vPvB:** not applicable



DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 9	985097	NANOCOLOR Tin 3	Page: 7/17			
Printin	g date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.2			
6.3	Bind any escaping liquid with ir Clean any contaminated equip	or containment and cleaning up ert absorbent. And dispose in accordance to local regulati nent and floors with plenty of water. d liquid and flush with water into drains.	ions for the disposal of hazardous chemicals.			
6.4	Reference to other section 5.4,7	ions				
SEC	TION 7: Handling and	storage				
7.1	Precautions for safe hat Handling in accordance with th bottle when shaking test tubes.	ndling e test instruction, that comes with the product. Use only in	well-ventilated working areas. Use a safety			
7.2	Safe storage is guaranteed in t 12.1 Storage class (VCI):	rage, including any incompatibilities ne original packaging from MACHEREY-NAGEL. Storage	class (German chemical industry): see chapt			
7.2.1	Water hazard class (DE): Requirements for stock r Keep original product packages	1 rooms and containers s tightly closed during handling and storage. Use inbreaka	ble container for transport of glass bottles			
7.3	Specific end use(s) Product for analytical use.					
SEC ⁻	TION 8: Exposure con	trols /personal protection				
8.1	Control parameters					
	1 g Tin 3 (R2) Chemical: sodium per NIOSH: [TWA] Time-weighted a OSHA:	oxo <i>disulfate</i> not listed verage to a reference period of 8 hours, [STEL] Short-term exposure limi not listed	CAS No.: 7775-27-1 it related to a 15-minute period			
	10 mL Tin 3 (R3) Chemical: <i>acetic acid</i> DNEL: DNEL = Derived No-Eff	[loc, inh] 25 mg/m³ ect Level (for workers)	CAS No.: 64-19-7			
	PNEC (fresh water) : PNEC = Predicted No E EU value: TRGS 900 (DE):					
	SUVA(CH) MAK value: NIOSH:		3			
	Chemical: ammonium		CAS No.: 631-61-8			

NIOSH: not listed [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period OSHA: not listed

 10 mL Tin 3 (R4)
 Chemical: hydrochloric acid
 CAS No.: 7647-01-0

 DNEL:
 [inh] 8 mg/m³
 DNEL = Derived No-Effect Level (for workers)

 PNEC (fresh water):
 36 µg/L

 PNEC = Predicted No Effected Concentration
 EU value:

 EU value:
 [TWA] 5 ppm / 8 mg/m ³; [STEL] 10 ppm/ 15 mg/m³

 TRGS 900 (DE):
 2 mL/m³ / 3 mg/m³

 E/e respirable
 CAS No.: 7647-01-0

Short-term exposure factor: 2 (I), Y skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 985097		NANOCOLOR Tin 3	Page: 8/17
Printing date:	15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.27
	SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted ave OSHA:	2 ppm / 3* mg/m³ [C] 5 ppm / 7 mg/m³ erage to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period List of highly hazardous chemicals, toxics and reactives Yes (TQ = 5000 lbs) n	
	mg/m³		
	Chemical: <i>ethanol</i> DNEL: DNEL = Derived No-Effect	[derm] 343 mg/kg; [inh] 950 mg/m³ t Level (for workers) CAS No.: 64-17-5	
	PNEC (fresh water) : PNEC = Predicted No Effe	0.96 mg/L ected Concentration	
	TRGS 900 (DE):	200 mL/m³ / 380 mg/m³ E/e respirable	
	Short-term exposure factor: skin resorptive (H), respin SUVA(CH) MAK value:	4 (II), Y atory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly ex 500 ppm / 960 mg/m ³	cluded
	NIOSH:	[TWA] 1000 ppm / 1900 mg/m ³ rage to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period	I
	OSHA:	[TWA] 1000 ppm / 1900 mg/m³	
	0.5 mL Tin 3 (R0) Chemical: sulfuric acid DNEL: DNEL = Derived No-Effect	[inh] 50 μg/m³ t Level (for workers)	9
	PNEC (fresh water) : PNEC = Predicted No Effe	2.5 µg/L ected Concentration	
	EU value: TRGS 900 (DE):	0.1 e mg/m³ 0.1 E mg/m³ E/e respirable	
	Short-term exposure factor: skin resorptive (H), respin	1 (I), Y ratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly ex	cluded
	SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted ave	0,1 e mg/m³ NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinoger erage to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute perioc); [TWA] 1 mg/m³
	OSHA:	[TWA] 1 mg/m ³	
Go	posure controls od ventilation and extraction s el of cleanliness must be mair	system in the room, floor resistant to chemicals with floor drainage and washing f ntained at the workplace.	acilities. The highest
8.2.1	Respiratory protection Use for open access of thes	e substances for example a protection filter, class A/AX. No additional recomme	ndations.
3.2.2		ntection 74 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, o chemical resistant latex gloves with code EN 374-3 level 1.	r Nitril (f.ex. from Anse
3.2.3	Eye / Face Protection Yes, safety glasses accordin	ng EN 166 with integrated side shields or wrap-around protection or face protecti	on.
3.2.4	Skin protection Recommended to avoid clot	hing damage, and to avoid contamination with these hazards.	
3.2.5	with the skin, eyes and cloth	aking snuff and storage of food in work areas and at outdoor workplaces is prohib ning. Rinse any clothing on which the substance has been spilled, and soak it in v ater when stopping work and before eating, and then apply protective skin cream	vater. Wash hands
3.2.6	Thermal hazards no data available		
3.3 Lir	nitation and monitorin	ig of environmental exposure	

Do not release product into environment.



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

ACHEREY-NAGEI

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985097	NANOCOLOR Tin 3	Page: 9/17
Printing date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.27

solid

colourless

instable < 200 °C

no data available

no data available

odorless

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1 g Tin 3 (R2)

a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: I) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (K o/w): o) Vapour pressure (20°C): p) Specific gravity: q) Relative vapour density (air=1): r) Particle size:

10 mL Tin 3 (R3) a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: I) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (K o/w): o) Vapour pressure (20°C): p) Specific gravity: q) Relative vapour density (air=1): r) Particle size:

10 mL Tin 3 (R4) a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: I) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (K o/w): o) Vapour pressure (20°C): p) Specific gravity: q) Relative vapour density (air=1):

r) Particle size:

no data available no data available no data available no data available 4.3 no data available 0-35 % no data available no data available 2 40 sol no data available no data available liquid colourless acetic no data available 4-6 no data available no data available no data available no data available no data available

liquid yellow alcoholic no data available no data available no data available no data available 18 °C no data available no data available 0-1 no data available

0,79 g/cm3 no data available

no data available

no data available

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



REF: 985097	NANOCOLOR Tin 3	Page: 10/17	
Printing date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.27	
0.5 mL Tin 3 (R0)			
a) State of aggregation:	liquid		
b) Colour:	colourless		
c) Odor:	odorless		
d) Melting point:	no data available		
e) Boiling point:	no data available		
f) Flammability:	no data available		
g) Explosive limits (lower / upper):	no data available		
h) Flash point:	no data available		
i) Flashing temperature:	no data available		
j) Decomposition temperature:	no data available		
κ) pH value:	0-1		
I) Kinematic viscosity:	no data available		
m) Solubility in water:	no data available		
n) Dispersion coefficient (K o/w):	no data available		
o) Vapour pressure (20°C):	no data available		
p) Specific gravity:	1,28 g/cm ³		
q) Relative vapour density (air=1):	no data available		
r) Particle size:	no data available		

9.2 Other information

9.2.1 Information on physical hazard classes

no data available

9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

Substances are highly volatile and form flammable gas-air mixtures. Substances are highly corrosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

Strong CORROSIVE, no further data available.

- 10.2 Chemical stability
- no known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Persulfates decompose when heated by splitting off oxygen. Observe the storage temperature printed on it. No more required.

- 10.5 Incompatible materials
 - no additional data available
- **10.6** Hazardous decomposition products In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

1 g Tin 3 (R2)				
Chemical:	sodium peroxodisulfate	CAS No.: 7775-27-1		
TSCA Inventory:	listed	California Proposition 65 List: not listed		
Australia NICNAS:	Yes (PEC/18)	Canada CEPA 1999: DSL Yes		
Japan CSCL/PRTR:	not listed, Japan PD	not listed, Japan PDSCL: not listed		
Japan ISHL:	listed ≥1,0%/≥0,1%,	Article 57-2 (SDS required)		
South Korea TCCA:	not listed			
Korea Exist.Chem.Inv	entory: KE-12369			
LD50 _{orl rat} :	902 mg/kg			





Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985097	NANOCOLOR Tin 3	Page: 11/17
Printing date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.2
quantities. Chronic Effects: N	use after oral intake, inhalation of vapours/dust, skin contact, impairmen lay cause sensitization by skin contact, also in repeated contact of smal thing difficulties if inhaled.	ç
Australia NICNAS Japan CSCL/PRT Japan ISHL: South Korea TCC	listed California Proposition 65 List: not listed inhalation, skin and/or eye contact Eyes, skin, respiratory system, teeth irritation eyes, skin, nose, throat; eye, skin burns; skin sensi onjunctivitis, lacrimation (di : not listed Canada CEPA 1999: DSL Ye R: not listed, Japan PDSCL: not listed listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)	itization; dental erosion; black skin,
Chemical: TSCA Inventory: Australia NICNAS Japan CSCL/PRT Japan ISHL: South Korea TCC Korea Exist.Chen LD50 _{orl rat} :	listed California Proposition 65 List: not liste : not listed Canada CEPA 1999: DSL Ye R: not listed, Japan PDSCL: not listed not listed	
Australia NICNAS Japan CSCL/PRT Japan ISHL: South Korea TCC	listed California Proposition 65 List: not liste inhalation, ingestion (solution), skin and/or eye contact Eyes, skin, respiratory system irritation nose, throat, larynx; cough, choking; dermatitis; sol spasm; pulmonary ede : not listed Canada CEPA 1999: DSL Ye R: not listed, Japan PDSCL: Deleterious Substance listed ≥0,2%/20,1%, Article 57-2 (SDS required) A: Accident Precaution Chemical Yes .Inventory: KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem.	lution: eye, skin burns; liquid: frostbite; ir
Australia NICNAS Japan CSCL/PR1 Japan ISHL: South Korea TCC	listed California Proposition 65 List: not liste 1000 ppm inhalation, ingestion, skin and/or eye contact Eyes, skin, respiratory system, central nervous system, liver irritation eyes, skin, nose; headache, drowsiness, lassitude mia; reproductive, teratogenic not listed Canada CEPA 1999: DSL ye R: not listed, Japan PDSCL: not listed listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)	r, blood, reproductive system (weakness, exhaustion), narcosis; cougl
New Niso 13485.2016 Iso 9001:2015 So 2355 Düren		.com com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

www.mn-net.com



according to Regulations REACh 1907/2006/EC

_	85097	NANOCOLOR Tin 3	Page: 12/17
Printing	g date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.2
	TSCA Inventory: ACGIH: Exposure Routes: Target Organs: Symptoms: dental erosion; eye, skin b Australia NICNAS: Japan CSCL/PRTR: Japan ISHL: South Korea TCCA:	uric acid listed California Proposition 65 Lis 1 ppm inhalation, ingestion, skin and/or eye contact Eyes, skin, respiratory system, teeth irritation eyes, skin, nose, throat; pulmonary edem urns; dermatitis not listed Canada CEPA 1999 not listed, Japan PDSCL: Deleterious Substance listed ≥1,0%/≥1,0%, Article 57-2 (SDS required) Accident Precaution Chemical Yes ry: KE-32570, >10% Toxic 97-1-405, Acc. Precaution 2140 mg/kg 0,85 mg/L/4H Kat 4	a, bronchitis; emphysema; conjunctivitis; stomatis : DSL Yes
11.2	Other hazards		
	Possible endocrine disru no data available	upting effects	
	Other information no additional data availabl	e	
SECT	ION 12: Ecological in	formation	
12.1	Toxicity		
	Following information is valid	d for pure substances.	
	1 g Tin 3 (R2) Substance name: <i>sod</i> . Water hazard class (DE): Storage class (VCI):	ium peroxodisulfate 1 WGK No.: 1352 5.1 B	CAS-Nr.: 7775-27-1
	Do not release into the en	t <i>ic acid</i> vironment. 3.058 mg/L concentration = concentration at which no effect on the environment	CAS-Nr.: 64-19-7
	LC50 fish/96h : EC50 daphnia/48h : IC50 scenedesmus quadricaud Water hazard class (DE): Storage class (VCI):	[4d] 301-1000 mg/L 301-1000 mg/L	is expected
	Substance name: amr Bio Toxicity: LC50 fish/96h : Water hazard class (DE): Storage class (VCI):	nonium acetate 1/4.5/4.8 238 mg/L 1 WGK No.: n.n. 12-13	CAS-Nr.: 631-61-8
		rochloric acid	CAS-Nr.: 7647-01-0
	PNEC = Predicted No Effected C LC50 fish/96h : EC50 daphnia/48h : EC50 pseudokirchneriella subc Water hazard class (DE): Storage class (VCI):	36 µg/L concentration = concentration at which no effect on the environment 24.6 mg/L 0.492 mg/L apitata/72h : 0.78 mg/L 1 WGK No.: 0238 8 B	t is expected
	Substance name: etha		CAS-Nr.: 64-17-5 t is expected



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



REF: 985097		NANOCOLOR Tin 3	Page: 13/17		
Printing date: 15.05.2024		Date of issue: 26.01.2023	Version: 2.2.6.2		
	LC50 leuciscus idus/96h : LC50 fish/96h : EC50 daphnia/48h : IC50 scenedesmus quadricauda/72h : EC10 pseudomonas putita/16h : Water hazard class (DE): Storage class (VCI):	[48h] 8140 mg/L 13 g/L 9.3-14.2 g/L [7d] 5000 mg/L [EC5] 6500 mg/L 1 WGK No.: 0096 3			
	0.5 mL Tin 3 (R0) Substance name: sulfuric acid Do not release into the environme PNEC (fresh water) : PNEC = Predicted No Effected Concentrat LC50 fish/96h : EC50 daphnia/48h : EC10 pseudomonas putita/16h : Water hazard class (DE): Storage class (VCI):		CAS-Nr.: 7664-93-9 is expected		
12.2	Persistence and degradabilit	у			
12.3	Bioaccumulative potential				
	10 mL Tin 3 (R3) Substance name: Dispersion coefficient (K _{o/w}): Substance name: Dispersion coefficient (K _{o/w}):	acetic acid -0,17 ethanol -0,31	CAS-Nr.: 64-19-7 CAS-Nr.: 64-17-5		
12.4	Mobility in soil	0,01			
12.5	Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.				
12.6	Endocrine disrupting proper	ies			
	Other adverse effects				

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Not necessary, see above.

SECTION 14: Transport information

14.1. UN number: 3316 14.2. UN proper shipping 14.3. Class: 9	name: Chemical Kit				
14.4. Packing group:	Ш				
Road transport ADR					
Classification code:	M11 Tunne	el restriction code:	E		
Limited Quantity:	acc. ADR 3.3.1/251:	see LQ in Alternative	e declaration for tra	nsportation	
Air transport IATA DGR					
Limited Quantity:	PAX:	960	r	max. quantity PAX:	10 KG
	CAO:	960		nax. quantity CAO:	10 KG
Maritime transport IMDG					
EmS:	F-A, S-P	Staukatego	rie: /	4	



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGE

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985097	NANOCOLOR Tin 3	Page: 14/17
Printing date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.27

Or use Alternative declaration for transportation: UN No.: (see below) UN 1993 class 3 II, class 8 II, Excepted Quantities (≤30 mL/∑≤500 mL) = ADR/ IATA E2 or 14.1 UN number: 3264 14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (hydrochloric acid, sulfuric acid solution) 14.3 Class: 8 14.4 Packing group: Road transport ADR Classification code: C1 Limited Quantity: 11 Tunnel restriction code: Е F 2 Excepted Quantity: Air transport IATA DGR Limited Quantity: PAX: 851 max. quantity PAX: 1 L max. quantity CAO: 30 L CAO: 855 Excepted Quantity: E 2 Maritime transport IMDG EmS: F-A, S-B Staukategorie: В Special instructions: 274

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

14.6 Special precautions for user not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

- Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung GefStoffV), Nov 2010, Stand: Mrz 2017
- TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
- TRGS 220, National aspects when preparing safety data sheets, Jan 2017
- TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
- TRGS 401, Skin contact hazard identification, assessment, action, Jun 2008, status: Feb 2011

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

- TRGS 500, Protective measures, Mai 2008
- TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015
 - Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016 MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.6.27 and 2.2.2.2 following changes were applied: - 4 composition data corrected - 25 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

Н	Between versions 2.2.6.27 and 2.2.2.2 following changes were applied: - 4 composition data corrected - 25
	substance data corrected
H225	Highly flammable liquid and vapour.



CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com





REF: 9	85097	NANOCOLOR Tin 3	Page: 15/17
Printing date: 15.05.2024		Date of issue: 26.01.2023	Version: 2.2.6.27
	H272 H302 H314 H315 H317 H318 H319 H334 H335	May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.	
16.2.2	List of relevant P		
10.2.2	P260sh P264 P280sh P284 P303+361+353 P305+351+338 P310 P333+313 P405 P501	Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. [In case of inadequate ventilation] wear respiratory protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse IF IN EYES: Rinse cautiously with water for several minutes. Remove cont do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. Store locked up. Dispose of contents/container to regulated waste treatment.	
16.3	Recommended re	· · · · · · · · · · · · · · · · · · ·	
1010	Only for professional us Look about employee re Look about employee re		§§ 11-13 MuSchG 2017)!
16.4	Sources of key da	ita	
	Directive 1999/92/EG M atmospheres SUVA .CH, limit values Regulation 790/2009/El Regulation 453/2010/El TRGS 907, German teo 487/2013/EU, adaptatio Regulation 1221/2015/E Regulation 776/2017/El Regulation 669/2018/El Regulation 669/2018/El Regulation 521/2019/El TRGS 900, German rul Regulation 217/2020/El Regulation 878/2020/El Regulation 878/2020/El Regulation 643/2021/El Regulation 643/2021/El	is on hazardous materials, 2021 linimum requirements to improve the safety and health protection of workers at in the air at work 2009, revised on 01/2009 J, adaptation of Regulation 1272/2008/EU to technical and scientific progress (J, adaptation of the REACH regulation 1907/2006/EG thnical rules for listing substances and causes of sensitization, updated Noveml n of regulation 1272/2008/EG to technical and scientific progress (4th ATP) EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (1 J, adaptation of regulation 1272/2008/EG to technical and scientific progress (1 J, adaptation of Regulation 1272/2008/EG to technical and scientific progress (1 J, adaptation of regulation 1272/2008/EG to technical and scientific progress (1 J, adaptation of regulation 1272/2008/EG to technical and scientific progress (1 J, adaptation of regulation 1272/2008/EG to technical and scientific progress (1 J, adaptation of regulation 1272/2008/EG to technical and scientific progress (1 es of technology on limit values in the air at work, as of 03/2019 J, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and J, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and J, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and J, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and J, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and J, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and J, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and J, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and J, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and J, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and J, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and J, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technica	1st ATP) ber 2011 Regulation (7th ATP) (0th ATP) ext (11th ATP) (13th ATP) 2th ATP) scientific progress (14th ATP) d scientific progress (15th ATP) scientific progress (16th ATP) scientific progress (17th ATP)
	2 2 2 2 2 2	014-02 Corrected structure of the sections according to Regulation 453/2010/E 014-04 adjustment according Regulation 487/2013/EU 016-03 adjustment according Regulation 1221/2015/EU 017-08 adjustment according the Ordinance on Ethanol Denaturation 2016/180 017-11 adjustment according the ECHA registration dossier 022-11 adjustment according Regulation 878/2020/EU	
16.5	Further information	on	
	revision time. This docu	mbH & Co. KG provides the information contained herein in good faith being up iment is intended only as a guide to the appropriate precautionary handling of the ct. Individuals receiving the information must exercise their independent judgen articular purpose.	ne material by a properly trained

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

```
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
```



according to Regulations REACh 1907/2006/EC

REF: 985097 NANOCOLOR Tin 3			Page: 16/17
inting	g date: 15.05.2	2024 Date of issue: 26.01.2023	Version: 2.2.6.2
.6	Leaend	/ Abbreviations	
	acc:	according	
	ADR:	Convention concerning the International Carriage of Dangerous Goods by Road	
	Act:	acute	
	BAT:	biological workplace tolerance value	
	CAO: Carc:	Cargo Aircraft Only	
	CAS:	carcinogen Chemical Abstracts Service	
	CLP:	Classification, Labelling and Packaging regulation	
	CMR:	carcinogen, mutagen, reproduction toxic	
	Corr:	corrosive	
	COD:	chemical oxigen demand	
	CSCL:	Chemical Substance Control Law (Jp)	
	Dam:	damage	
	DNEL: derm:	Derived No-Effect Level (for workers) dermal	
	dog:	dog	
	EC10:	Concentration causing a toxic effect in 10% of the test organisms	
	EC:	European Community	
	EC-Nr:	Substance number of the EC substance inventory	
	EmS:	Guide to accident management measures on ships	
	EU:	European Union	
	fish:	fish (not spezified)	
	GHS:	Global Harmonized System of Classification and Labeling of Chemicals	
	gpg: ICAO:	guinea pig International Civil Aviation Organization	
	ihl:	inhaled	
	IMDG:	International Maritime Dangerous Goods Code	
	intrav:	intravenous	
	ipt:	intraperitonaeal	
	ISHL:	Industrial Safety and Health Law (Jp)	
	LC50:	letale concentration 50%	
	LD50:	letale dosis 50%	
	leuciscus i MAK:	dus: fisch, ide, orfe maximum workplace concentration	
	Met:	Maximum workplace concentration	
	mus:	mouse	
	Muta:	mutagen	
	NIOSH:	National Institute for Occupational Safety and Health (US)	
	NRD:	Non-rapidly degradable	
		chus mykiss: fish, rainbow trout	
	orl:	oral	
	OSHA:	Occupational Safety and Health Administration	
	PAX: PBT:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance	
	рН:	pH value	
		s promelas: fish, fathead minnow	
	PNEC:	Predicted No Effected Concentration	
	PROC 15:	Process category 'for laboratory use'	
	PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)	
	PVC:	polyvinyl chloride	
	quail:	bird, quail	
	rat: rbt:	rat rabbit	
	RD:	rapidly degradable	
	RE:	repeated	
	REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals	
	REF:	item number, reference number	
	Reg.No.:	rRegistration number	
	Repr:	harmful to reproduction	
	Resp:	respiratory	
	RIP:	REACH Implementations Projects	
	SCU:	sub cutan	
	SDS:	safety data sheet	
	Sens: STEL:	sensitisation short term exposure limit	
	STEL. STOT:	Specific Target Organ Toxicity	
	SVHC:	Substance of Very High Concern	
	t/a:	tons per year	



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985097	NANOCOLOR Tin 3	Page: 17/17
Printing date: 15.05.2024	Date of issue: 26.01.2023	Version: 2.2.6.27

TCCA: Toxic Chemicals Control Act (S. Korea)

 Tox:
 toxic

 TSCA:
 The Toxic Substances Control Act (US)

TWA: time weighted average

TRGS: technical regulations (DE)

vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com