


Blender bags



interscience

Choose your blender bag

BagFilter® Lateral filter bags ▶ For fibrous samples




- Lateral non-woven filter
- Multilayer®, reinforced multicoated complex
- Rigid and transparent

6 models, available in:
400 mL / 2000 mL / 3500 mL

Filter porosity:
from < 50 to < 250 microns



BagFilter® P
for pipetting




BagFilter® S
for pouring



BagFilter Pull-Up®
for small volumes / PCR

BagFilter® P
non-woven filter

BagPage® Full-page filter bags ▶ For pasty samples



- Full-page calibrated microperforated filter
- Multilayer®, reinforced multicoated complex
- Rigid and transparent

9 models, available in:
100 mL / 400 mL / 2000 mL / 3500 mL

Filter porosity:
from 63 to 280 microns



BagPage® +
micro-perforated filter



BagPage® F
for flow cytometry



BagPage® R
non-woven filter

BagPage® XR
extra resistant

BagLight® Non-filter bags ▶ PolySilk® standard



- PolySilk®, polyolefin complex
- Flexible and transparent

7 models, available in:
100 mL / 400 mL / 2000 mL / 3500 mL

Without filter



BagLight® PolySilk®
non-filter bags



BagLight® HD PolySilk®
easy writing





BagLight® Multilayer®
ultra resistant

BagLight® Multilayer® U
rounded-bottom

RollBag® Sampling and blender bag

- PolySilk®: polyolefin complex
- Writing zone

Model available in:
1300 mL



Technical specifications

| Product | Ref. | Max blending volume | Optimal blending volume | Filter porosity | Dimensions | Pack of | Box of |
|---|---------|---------------------|-------------------------|-----------------|--------------|---------|--------|
| BagFilter® Lateral filter blender bag for fibrous samples | | | | | | | |
| BagFilter® P 400 | 111 425 | 400 mL | 50-300 mL | < 250 microns | 190 x 300 mm | 25 | 500 |
| BagFilter® P 400 unmarked | 111 000 | 400 mL | 50-300 mL | < 250 microns | 190 x 300 mm | 25 | 500 |
| BagFilter® S 400 | 112 425 | 400 mL | 50-300 mL | < 250 microns | 190 x 300 mm | 25 | 500 |
| BagFilter Pull-Up® | 111 625 | 400 mL | 50-300 mL | < 50 microns | 190 x 300 mm | 25 | 500 |
| BagFilter® P 2000 | 111 200 | 2000 mL | 400-1500 mL | < 250 microns | 250 x 380 mm | 25 | 400 |
| BagFilter® P 3500 | 113 510 | 3750 mL | 400-3750 mL | < 250 microns | 380 x 600 mm | 10 | 100 |
| BagPage® Full-page filter blender bag for pasty samples | | | | | | | |
| BagPage® 100 | 121 025 | 100 mL | 5-50 mL | 280 microns | 95 x 180 mm | 25 | 500 |
| BagPage® + 400 | 122 025 | 400 mL | 50-300 mL | 280 microns | 190 x 300 mm | 25 | 500 |
| BagPage® + 400 unmarked | 122 000 | 400 mL | 50-300 mL | 280 microns | 190 x 300 mm | 25 | 500 |
| BagPage® F 400 | 122 325 | 400 mL | 50-300 mL | 63 microns | 190 x 300 mm | 25 | 500 |
| BagPage® R 400 | 161 025 | 400 mL | 50-300 mL | < 250 microns | 190 x 300 mm | 25 | 500 |
| BagPage® U 400 | 122 225 | 400 mL | 50-300 mL | 280 microns | 190 x 300 mm | 25 | 500 |
| BagPage® XR 400 | 122 425 | 400 mL | 50-300 mL | 280 microns | 190 x 300 mm | 25 | 400 |
| BagPage® + 2000 | 122 200 | 2000 mL | 400-1500 mL | 280 microns | 250 x 380 mm | 25 | 250 |
| BagPage® + 3500 | 123 010 | 3750 mL | 400-3750 mL | 280 microns | 380 x 600 mm | 10 | 100 |
| BagLight® Non-filter blender bag / PolySilk® standard | | | | | | | |
| BagLight® PolySilk® 100 | 131 025 | 100 mL | 5-50 mL | - | 110 x 200 mm | 25 | 500 |
| BagLight® PolySilk® 400 | 132 025 | 400 mL | 50-300 mL | - | 175 x 300 mm | 25 | 500 |
| BagLight® PolySilk® 400 | 132 050 | 400 mL | 50-300 mL | - | 175 x 300 mm | 50 | 500 |
| BagLight® HD PolySilk® 400 | 132 325 | 400 mL | 50-300 mL | - | 175 x 300 mm | 25 | 500 |
| BagLight® Multilayer® 400 | 132 225 | 400 mL | 50-300 mL | - | 190 x 300 mm | 25 | 500 |
| BagLight® Multilayer® U 400 | 132 125 | 400 mL | 50-300 mL | - | 190 x 300 mm | 25 | 500 |
| BagLight® PolySilk® 2000 | 132 200 | 2000 mL | 400-1500 mL | - | 250 x 380 mm | 25 | 500 |
| BagLight® PolySilk® 3500 | 133 025 | 3750 mL | 400-3750 mL | - | 380 x 560 mm | 25 | 250 |

| Product | Ref. | Max. sampling volume | Optimal blending volume | Filter porosity | Dimensions | Pack of | Box of |
|--|---------|----------------------|-------------------------|-----------------|--------------|---------|--------|
| RollBag® Sampling and blender bag | | | | | | | |
| RollBag® 1300 | 145 040 | 1300 mL | 50-300 mL | - | 175 x 290 mm | 500 | 500 |



All our bags are approved for food contact, radiosterilized and compatible with all lab blenders. A red sticker is placed on every box as a mark of guarantee of gamma ray treatment. A certificate is included with each shipment.



Product made for INTERSCIENCE by Interlab, an ISO 9001 certified company.




Why use a filter bag?



Standard bag No filtration




Filter bag Instant filtration




- Diluted and blended sample particles
- Microorganisms to be analyzed

After plating and incubation




Time-consuming and inaccurate results



- Diluted and blended sample particles
- Microorganisms to be analyzed
- Filter

After plating and incubation



Optimized process and accurate results

Your local distributor

interscience

30, chemin du Bois des Arpents - 78860 St Nom - FRANCE
T: +33 (0)1 34 62 62 61 - Email: info@interscience.com

interscience USA & CANADA

32 Cummings Park - Woburn, MA 01801 - USA
P: +1 781 937 0007 - F: +1 781 937 0017 - Email: sales.usa@interscience.com

interscience CHINA

上海市徐汇区肇嘉浜路798号坤阳大厦1903室 - 200030
电话: +86 (0)21-64739390 - +86 189 3097 0733 - 邮址: sales.china@interscience.com

interscience SOUTH-EAST ASIA

The Centropod, 80 Changi Rd - 05-07 Singapore 419715
T: +65 6909 0825 - M: +65 8118 5178 - E-mail: sales.asia@interscience.com

www.interscience.com